


SmartyCam HD Rev. 2.1

Supplement to SmartyCam HD User Manual - Release 1.02









With 84° lens	
X99SHD8407*	SmartyCam HD with 2m CAN Bus + 84° lens
X99SHD8410*	SmartyCam HD with 2m CAN Bus + 84° lens + Integrated external microphone harness
X99SHD8429*	SmartyCam HD with 2m CAN Bus + 84° lens + Integrated 3.5 female Jack for external microphone harness
X99SHD8406*	SmartyCam HD with 4m CAN Bus + 84° lens
X99SHD8424*	SmartyCam HD with 4m CAN Bus + 84° lens + Integrated external microphone harness
X99SHD8430*	SmartyCam HD with 4m CAN Bus + 84° lens + Integrated 3.5 female Jack for external microphone harness
X99SHD8415*	SmartyCam HD with 2m external power cable + 84° lens
X99SHD8408*	SmartyCam HD with 2m external power cable + 84° lens + Integrated external microphone harness
X99SHD8431*	SmartyCam HD with 2m external power cable + 84° lens + Integrated 3.5 female Jack for external microphone harness
X99SHD8423*	SmartyCam HD with 4m external power cable + 84° lens + Integrated external microphone harness
X99SHD8432*	SmartyCam HD with 4m external power cable + 84° lens + Integrated 3.5 female Jack for external microphone harness
With 120° lens	
X99SHD1207*	SmartyCam HD with 2m CAN Bus + 120° lens
X99SHD1210*	SmartyCam HD with 2m CAN Bus + 120° lens + Integrated external microphone harness
X99SHD1229*	SmartyCam HD with 2m CAN Bus + 120° lens + Integrated 3.5 female Jack for external microphone harness
X99SHD1206*	SmartyCam HD with 4m CAN Bus + 120° lens

E for Europe, **G** for UK, **U** for USA and **A** for Australia

	SmartyCam HD with 4m CAN Bus + 120° lens + Integrated external microphone harness			
X99SHD1230*	SmartyCam HD with 4m CAN Bus + 120° lens + Integrated 3.5 female Jack for external microphone harness			
X99SHD1215*	SmartyCam HD with 2m external power cable + 120° lens			
X99SHD1208*	SmartyCam HD with 2m external power cable + 120° lens + Integrated external microphone harness			
X99SHD1231*	SmartyCam HD with 2m external power cable + 120° lens + Integrated 3.5 female Jack for external microphone harness			
X99SHD1223*	SmartyCam HD with 4m external power cable + 120° lens + Integrated external microphone harness			
X99SHD1232*	SmartyCam HD with 4m external power cable + 120° lens + Integrated 3.5 female Jack for external microphone harness			
	X98KVOCHD0 The kit includes the Schott B270 glass and Display glass replacement kit X98KVDCHD0 Methacrylate anti-glare anti-scratch pro	-		
	V02566070 CAN harness - L = 2 m			
	V02566060 CAN harness - L = 4 m			

ACCESSORIES	
\bigcirc	GPS08 Module
5	X40GPS080M0200 SmartyCam GPS with 2m harness
	X40GPS080M0400 SmartyCam GPS with 4m harness
Curto	X40GPS080MR200 SmartyCam GPS roof version with 2m harness
Cepsoe	X40GPS080MR400 SmartyCam GPS roof version with 4m harness
	Suction cup kit
	X90KSSMC1 In the box: suction cup, 60 mm arm, ball head, washer
e i	Kit for 1 to 2.1 in. Ø bar
	X90KSSMC0 In the box: handlebar bracket, 60 mm arm, ball head, washer
	Kit for 0.5 to 1.2 in. Ø bar
	X90KSTP00 In the box: U-bolt, 60 mm arm, ball head, washer
	ECU Bridge
	X90BRIDGE00 ECU Bridge with CAN/RS232 communication cable
EEE RUMER O	X90BRIDGE01 ECU Bridge with CAN/K Line communication cable - OBDII standard connector
	RPM Bridge
	X90BRIDGE02









AiM Srl

Via Cavalcanti, 8 20063 Cernusco sul Naviglio (MI) Italia Tel. (+39) 02.9290571 Fax (+39) 02.92118024

aim-sportline.com